
ASSEMBLY GUIDE


ⓘ Remove all blue protective films from the machine before use.




Please read the assembly guide carefully before starting the assembly.

COMPONENT NAMES

ⓘ Remove all blue protective films from the machine before use.




ACCESSORIES LIST




Curved Light Stand x2



Upper Water Tank Cover x1



Upper Water Tank x1




Planting Box x8



Storage Box Cover x1



Water Inlet Cover x1




Lower Water Tank x1




Grow Light x2


ACCESSORIES LIST




Rear Panel x2




Wheels x4




Curved Light Stand Cover x2



Float Rod x1



Gasket x2




Planting Cup x48



② Stainless Steel Fixing Rod x2



① Stainless Steel Fixing Rod x2



Curved Screw x2




Butterfly Nut M6 x2




Butterfly Nut M3 x4



Seal Ring x1



Power Cord x1



Power Adapter x1




Magnet x12

ASSEMBLY STEPS


1


Install four wheels on the lower water tank; it is recommended to install two wheels with locks on the front side.



2


Stack and install four planting boxes one by one, securing them with two stainless steel fixing rods.






3

Stack and install the remaining four planting boxes one by one, installing two stainless steel fixing rods.




4

After installing the upper water tank, tighten the butterfly nut.




5

Place the seal ring in the tower head, then install the water pipe.




6

Connect the supplementary light wire with the curved tube wire.




7

Gently pull the light wire in the direction of the arrow.




8

Secure the curved and straight light tubes with butterfly nut M3 and U-shape rods. Repeat this for the other set.





9


Install the curved light stand cover, pass the light wire through the gasket, then install the grow light on the right side of the upper water tank (facing the right side of the machine), and route the light wire.



NOTE:
Please install the light stand on the right side of the machine first (facing the right side of the machine).









10


Install the curved light stand cover, pass the light wire through the gasket, then install the grow light on the left side of the upper water tank (facing the left side of the machine),and route the light wire.





11


Connect the two light wires together.




12

Place the 12 magnets in the designated positions on the machine, and then install the two rear panels.


Note:
The positions for placing the 12 magnets are indicated by arrows; please place them according to the specified positions.





13

Install the upper water tank cover, storage box cover, water inlet cover, and finally insert the planting cup.



14

Connect the power cord to the power adapter, plug the plug into the rear power port of the lower water tank, and finally plug it into an AC socket.

